



Watch product video

137601

# Play Centre S

Description

#### Basic information

PRODUCT GROUP Finno Inclusive Design
SAFETY INFO EN 1176-1, 3:2008 TÜV

USERAGE 1+

#### **Elements**


$\mathbb{R}$	NUMBER OF SLIDES	1
Ħ	NUMBER OF TOWERS	1
<b>=</b>	NUMBER OF PLAY PANELS	7
<b>↑</b>	NUMBER OF ROOFS	2
A	NUMBER OF CLIMBING	2


#### Technical information

FOUNDATION OPTIONS	Deep mounting, Surface mounting
PRODUCT LENGTH, MM	6170
PRODUCT WIDTH, MM	7530
PRODUCT HEIGHT, MM	3040
IMPACT AREA, M²	45.1
FALLING SPACE, M <sup>2</sup>	55.7
MINIMUM SPACE HEIGHT, MM	3040
MAXIMUM FREE FALL HEIGHT, MM	1000









137003M

### Iodine

A carousel for four persons. The carousel houses a round plane at a height of 140mm, a triangular plane for seating at a height of 410mm and three metal poles which offer the riders support and allow them to rotate the device. Whirling around in the carousel offers children a fun way of developing their sense of balance.

#### **Basic information**

PRODUCT GROUP Cloxx

SAFETY INFO EN 1176-1, 5:2008 TÜV


USERAGE 3+

#### Technical information

	FOUNDATION OPTIONS	Deep mounting, Surface mounting
	INSTALLATION TIME (FOR 1), H	1.5
	PRODUCT LENGTH, MM	1200
	PRODUCT WIDTH, MM	1200
	PRODUCT HEIGHT, MM	770
	IMPACT AREA, M²	21.2
	FALLING SPACE, M <sup>2</sup>	21.2
	AREA OF MOVEMENT, M²	0
	MINIMUM SPACE HEIGHT, MM	1930
	MAXIMUM FREE FALL HEIGHT, MM	1000







137412M

## Swing Frame

Swing frame for one swing, matching the Finno family of products. The frame height is 2,30 mm and the chain is 160 cm. Swinging stimulates the vestibular system located in the inner ear, which in turn develops motor coordination and balance. The swinging motion also soothes the mind.

#### **Basic information**

PRODUCT GROUP Finns

SAFETY INFO EN 1176-1, 2:2008 TÜV

USERAGE 1+

#### Color themes available




Liquorice Grey

Tuttifrutti

#### Technical information

FOUNDATION OPTIONS	Deep mounting, Surface mounting
INSTALLATION TIME (FOR 1), H	6
PRODUCT LENGTH, MM	1530
PRODUCT WIDTH, MM	2540
PRODUCT HEIGHT, MM	2300
IMPACT AREA, M²	14
FALLING SPACE, M <sup>2</sup>	14
MINIMUM SPACE HEIGHT, MM	2700
MAXIMUM FREE FALL HEIGHT, MM	1200



Es1498



000217



Es1299

Es294



Es596

